

BRITTON®

The Bath Collection



cleargreen®
BATHS

clearline®
BATHS

Baths Collection

Britton brings you a wide range of bath designs, shapes and sizes to suit your bathroom perfectly. There are 47 models across all the designs, all made in one exclusive high-strength Cleargreen format, with the most popular shapes also available in our more affordable Clearline format. For more details on Cleargreen, see page 2.

Quality

All of our baths utilise high quality materials throughout including:

- Only 5mm LUCITE™ acrylic sheet for the bath moulding, a leading material which is naturally slip-resistant.
- Floor-mounted leg fixings which provide a stable base and are adjustable to cope with uneven floors.
- A strong baseboard made of recycled material which is fully encapsulated into the bath.
- All British and European performance standards when installed in line with our instructions.
- A long guarantee of 10 years for Clearline baths and 30 years for Cleargreen baths.

Design

We design all our baths to maximise comfort while in use. Our bath rims are designed to be narrower than other producers, to maximise internal space while retaining a smaller footprint.

Range

We classify our baths into their design styles.

- Single ended baths have the backrest at one end and the taps opposite.
- Double ended baths have a backrest at both ends with the taps in the centre of the long side.
- Showering baths are designed to give a bigger space at the tap end to give freedom of movement whilst showering. These are available in right hand and left hand.
- Unique baths - The Nouveau freestanding and the Saturn back to wall bath, both designed for those wanting a real showstopper in their bathroom.

CLEARGREEN

■ **30** ■
YEARS
GUARANTEE

CLEARLINE

■ **10** ■
YEARS
GUARANTEE

cleargreen®
BATHS


clearline®
BATHS





The most rigid baths available.

Our Cleargreen baths come with the highest strength reinforcement, manufactured to withstand an enormous weight of 2.3 tonnes making them the strongest baths on the market. This high strength is due to an 8mm steel reinforcing rod which runs inside the bath rim and additional reinforcement over the whole of the underside. Our Cleargreen baths also boast environmental benefits, not only utilising recycled materials but adding to the quality of your chosen bath, by retaining heat for up to 30 minutes longer than a standard bath.





Sustain Single-ended

A single-ended bath with a subtle square internal shape for those preferring a more angular look. Available in 5 sizes to suit a variety of bathroom sizes. Some sizes are also available as Clearline.

Shower Screens

We offer a range of 5 shower screens you can add to our single, double-ended or offset baths so you can pair your chosen bath showering sets. Our showering baths are available with uniquely shaped screens to follow their own specific shape. See page 14 for details.



clearline[®]
BATHS

L: 1600 W: 700 (R4N)
L: 1700 W: 700 (R5N)
L: 1700 W: 750 (R6N)
L: 1800 W: 800 (R7N)

cleargreen[®]
BATHS

Single-ended

L: 1600 W: 700 (R4)
L: 1700 W: 700 (R5)
L: 1700 W: 750 (R6)
L: 1700 W: 800 (R42)
L: 1800 W: 800 (R7)

Front bath panel

(Acrylic panel fully reinforced with GRP)

L: 1600 W: 40 H: 550 (R24F)
L: 1700 W: 40 H: 550 (R25F)
L: 1800 W: 40 H: 550 (R26F)

End bath panel

L: 700 W: 40 H: 550 (R27E)
L: 750 W: 40 H: 550 (R28E)
L: 800 W: 40 H: 550 (R29E)

Compatible wastes CW8, CW14, CW15
Compatible shower screens BS1, BS2, BS3, BS4, BS5
Compatible bath grips R37, R30
Overflow pre-drilled
Acrylic panels are fully reinforced with GRP
Tap hole option 0, 1, 2 (supplied un-drilled)



Reuse Single-ended

The softer, rounded internal shape of this single-ended bath looks the part when paired with our sleek ceramic collections. Available in 4 sizes, it is the perfect choice for smaller or medium sized bathrooms.



Single-ended

- L: 1500 W: 700 (R11)
- L: 1500 W: 750 (R51)
- L: 1600 W: 700 (R12)
- L: 1700 W: 700 (R13)
- L: 1700 W: 750 (R52)
- L: 1700 W: 800 (R44)
- L: 1800 W: 750 (R14)

Front bath panel

(Acrylic panel fully reinforced with GRP)

- L: 1500 W: 40 H: 550 (R23F)
- L: 1600 W: 40 H: 550 (R24F)
- L: 1700 W: 40 H: 550 (R25F)
- L: 1800 W: 40 H: 550 (R26F)

End bath panel

- L: 700 W: 40 H: 550 (R27E)
- L: 750 W: 40 H: 550 (R28E)
- L: 800 W: 40 H: 550 (R29E)



Compatible wastes CW8, CW14, CW15
Compatible shower screens BS1, BS2, BS3, BS4, BS5
Compatible bath grips R37, R30
Overflow pre-drilled
Acrylic panels are fully reinforced with GRP
Tap hole option 0, 1, 2 (supplied un-drilled)

Enviro Double-ended

A double-ended bath with a square internal shape. Available in 4 sizes to give you flexibility of choice.



Double-ended

L: 1700 W: 700 (R1)
L: 1700 W: 750 (R2)
L: 1700 W: 800 (R41)
L: 1800 W: 800 (R3)

Front bath panel

(Acrylic panel fully reinforced with GRP)

L: 1700 W: 40 H: 550 (R25F)
L: 1800 W: 40 H: 550 (R26F)

End bath panel

L: 700 W: 40 H: 550 (R27E)
L: 750 W: 40 H: 550 (R28E)
L: 800 W: 40 H: 550 (R29E)



Compatible wastes CW8, CW14, CW15
Compatible shower screens BS1, BS2, BS3, BS4, BS5
Compatible bath grips R37, R30
Overflow pre-drilled
Acrylic panels are fully reinforced with GRP
Tap hole option 0, 1, 2 (supplied un-drilled)

Verde Double-ended

A double-ended bath with a softer, rounder internal shape that cocoons the body for a truly relaxing bathe. Offered in 8 sizes, the largest at 1900mm, being the largest bath size available within the Cleargreen range and a superior choice for taller consumers. Some sizes are also available as Clearline.



clearline[®]
BATHS

L: 1700 W: 700 (R8N)
L: 1700 W: 750 (R9N)
L: 1800 W: 800 (R10N)

cleargreen[®]
BATHS

Double-ended

L: 1600 W: 750 (R45)
L: 1700 W: 700 (R8)
L: 1700 W: 750 (R9)
L: 1700 W: 800 (R43)
L: 1800 W: 750 (R46)
L: 1800 W: 800 (R10)
L: 1800 W: 900 (R47)
L: 1900 W: 800 (R48)

Front bath panel

(Acrylic panel fully reinforced with GRP)

L: 1600 W: 40 H: 550 (R24F)
L: 1700 W: 40 H: 550 (R25F)
L: 1800 W: 40 H: 550 (R26F)
L: 1900 W: 40 H: 550 (R50F)

End bath panel

L: 700 W: 40 H: 550 (R27E)
L: 750 W: 40 H: 550 (R28E)
L: 800 W: 40 H: 550 (R29E)
L: 900 W: 40 H: 550 (R49E)

Compatible wastes CW8, CW14, CW15
Compatible shower screens BS1, BS2, BS3, BS4, BS5
Compatible bath grips R37, R30
Overflow pre-drilled
Acrylic panels are fully reinforced with GRP
Tap hole option 0, 1, 2 (supplied un-drilled)



Viride Offset

This offset bath is available in either right or left handed options. The soft curves give this bath a contemporary feel and allows the piece to blend into its surroundings. The 1700 size is also available in Clearline.

Optional Panels

Every bath is available with front and end panels for you to configure your desired bath. We only supply high quality reinforced panels which match the quality of the baths, alternatively baths can be tiled in or panelled with a shower proof boarding.



clearline[®]
BATHS

Left hand

L: 1700 W: 750 (R38N)

Right hand

L: 1700 W: 750 (R39N)

cleargreen[®]
BATHS

Left hand (as pictured above and alongside)

L: 1700 W: 750 (R38)

L: 1800 W: 750 (R53)

Right hand

L: 1700 W: 750 (R39)

L: 1800 W: 750 (R54)

Bath panel

(Acrylic panel fully reinforced with GRP)

L: 1700 W: 40 H: 750 (R40)

L: 1800 W: 40 H: 750 (R55)

Compatible wastes CW8, CW14, CW15

Compatible shower screens BS1, BS2, BS3, BS4, BS5

Compatible bath grips R37, R30

Overflow pre-drilled

Acrylic panels are fully reinforced with GRP

Tap hole option 0, 1, 2 (supplied un-drilled)



Ecocurve Showering

Featuring sweeping lines and elegant curves, this showering bath combines both generous showering space with an ergonomic interior for a relaxing bathe. Available in right hand and left hand versions.



Left hand (as pictured above and alongside)

(Overflow hole pre-drilled)

L: 1700 W: 750/500 (R15 LH)

Right hand

(Overflow hole pre-drilled)

L: 1700 W: 750/500 (R16 RH)

Front bath panel

(Acrylic panel fully reinforced with GRP)

L: 1700 W: 40 H: 540 (R16F)

End bath panel

L: 500 W: 40 H: 540 (R16E)

Compatible wastes CW8, CW14, CW15

Compatible shower screens EcoCurve bath screen

Compatible bath grips R37, R30

Overflow pre-drilled

Acrylic panels are fully reinforced with GRP

Tap hole option 0, 1, 2 (supplied un-drilled)



Ecoround Showering

A subtle rounded showering bath in either a 1700mm or 1500mm length to suit the majority of contemporary bathroom spaces. Its subtle curves allows for an exceptionally generous showering space. Available in right hand and left hand versions.



clearline[®] BATHS

Left hand

L: 1700 W: 900/740 (R21N)

Right hand

L: 1700 W: 900/740 (R22N)

cleargreen[®] BATHS

Left hand (as pictured above and alongside)

L: 1500 W: 810/740 (R19 LH)

L: 1700 W: 900/740 (R21 LH)

Right hand

L: 1500 W: 810/740 (R20 RH)

L: 1700 W: 900/740 (R22 RH)

Front bath panel

(Acrylic panel fully reinforced with GRP)

L: 1500 W: 40 H: 530 (R20F)

L: 1700 W: 40 H: 530 (R22F)

End bath panel

L: 720 W: 40 H: 530 (R20E)

Compatible wastes CW8, CW14, CW15

Compatible shower screens EcoRound bath screen

Compatible bath grips R37, R30

Overflow pre-drilled

Acrylic panels are fully reinforced with GRP

Tap hole option 0, 1, 2 (supplied un-drilled)



Left hand

Ecosquare Showering

A geometric and angular showering bath. The Ecosquare offers generous bathing space and a corresponding shower screen features a unique access panel, allowing you to reach in and turn on your shower without getting wet. It also features a unique pivoting glass panel to follow the edge of the bath and prevent flooding. Available in right hand and left hand versions.



Left hand (as pictured alongside)

L: 1700 W: 850/700 (R17 LH)

Right hand (as pictured above)

L: 1700 W: 850/700 (R18 RH)

Front bath panel

(Acrylic panel fully reinforced with GRP)

L: 1700 W: 40 H: 540 (R18F)

End bath panel

L: 660 W: 40 H: 550 (R27E)

Compatible wastes CW8, CW14, CW15

Compatible shower screens EcoSquare bath screen

Compatible bath grips R37, R30

Overflow pre-drilled

Acrylic panels are fully reinforced with GRP

Tap hole option 0, 1, 2 (supplied un-drilled)



Left hand

Nouveau & Nouveau Petite

The elliptical shape makes the Nouveau a striking centrepiece in any contemporary bathroom. Available in 1780mm or the Petite 1500mm length, so even the smallest of spaces can indulge in a free-standing bath.



Tap hole configuration

All of our free-standing baths are supplied with tapholes undrilled so you have the complete flexibility as to how you mount brassware.

Nouveau free-standing bath

W: 810 **L:** 1780 **H:** 600

Bath: M1N

Surround: M1B

Complete price:

Compatible wastes CW8, CW14, CW15

Compatible bath grips R30, R37

Compatible overflow Hole pre-drilled

Weight empty 36 kg

Tap hole option 0, 1, 2 (supplied un-drilled)

Bath material: Cleargreen without rod due to bath shape.

Surround material: Gel coat with grp reinforcement.

Nouveau petite bath

W: 800 **L:** 1500 **H:** 625

Bath: M2N

Surround: M2B

Complete price:

Compatible wastes CW8, CW14, CW15

Compatible bath grips R30, R37

Compatible overflow Hole pre-drilled

Weight empty 26 kg

Tap hole option 0, 1, 2 (supplied un-drilled)

Bath material: Cleargreen without rod due to bath shape.

Surround material: Acrylic with grp reinforcement.



Saturn

This unique back-to-wall bath makes the most of available space within your bathroom. Its smooth lines look the part in any contemporary setting.



Saturn free-standing bath

With overflow hole pre-drilled

W: 750 **L:** 1700 **H:** 485

Bath: M4N

Surround: M4B

Complete price:

Compatible wastes CW8, CW14, CW15

Compatible bath grips R30, R37

Compatible overflow Hole pre-drilled

Weight empty 31 kg

Tap hole option 0, 1, 2 (supplied un-drilled)

Bath material: Cleargreen without rod due to bath shape.

Surround material: Gel coat with grp reinforcement.



Technical Specification



Single panel bathscreen

W: 850 D: 20 H: 1450

Screen thickness: 6mm

Code: BS1



Fixed panel bathscreen

W: 850 D: 20 H: 1450

Screen thickness: 6mm

Code: BS2



Access panel bathscreen

W: 850 D: 20 H: 1450

Screen thickness: 6mm

Code: BS3



Three panel bathscreen

W: 1180 D: 20 H: 1450

Screen thickness: 6mm

Code: BS4



Four panel bathscreen

W: 880 D: 20 H: 1450

Screen thickness: 6mm

Code: BS5

3M Easy Clean Coating

Cleargreen bathscreens have an easy clean coating treatment as standard, proven to be stain resistant and easy to remove hard water marks.

3M

Bath Screens



Ecocurve bathscreen

W: 850 **D:** 20 **H:** 1450

Screen thickness: 6mm

Code: BS6



Ecoround bathscreen

W: 820 **D:** 20 **H:** 1450

Screen thickness: 6mm

Code: BS7



Ecosquare bathscreen with access panel

W: 820 **D:** 180 **H:** 1450

Screen thickness: 6mm

Left: BS8L

Right: BS8R



Ecosquare bathscreen with access panel

(As shown right & above)



Access panel

The Ecoquare bath screen with access panel allows you to reach in and turn on your shower without getting wet. It also features a unique pivoting glass panel to either follow the edge of the bath, or move into the bath to create more of an enclosure feel.

Elegantly designed brassware for a contemporary look.



Brassware Collection

The Elegante range of taps and mixers offers contemporary styling to fit seamlessly across all Cleargreen and Clearline baths. With a wide range of solutions available including deck-mounted, wall-mounted or floor-standing bath fillers, bath shower mixers, thermostatic shower and bath filling designs, you can select the perfect solution for your installation requirements and your family's needs.



BRASSWARE

■ **10** ■
YEARS

GUARANTEE

Technical Specification



Elegante basin mono mixer

Without pop up waste

W: 54 x **D:** 146 x **H:** 163

Code: ELG1



Elegante mini basin mono mixer

Without pop up waste

W: 52 x **D:** 105 x **H:** 135

Code: ELG8



Elegante basin 2 hole set mixer

Wall-mounted

W: 205 x **D:** 210 x **H:** 100

Code: ELG17



Elegante tall mono basin mixer

Without pop up waste

W: 54 x **D:** 146 x **H:** 322

Code: ELG3



Elegante bidet mixer

W: 54 x **D:** 159 x **H:** 163

Code: ELG22



Elegante bath shower mixer

W: 291 x **D:** 202 x **H:** 167

Code: ELG23



Elegante bath filler

W: 225 x **D:** 208 x **H:** 168

Code: ELG6



Elegante bath 2 hole filler

Wall-mounted

W: 205 x **D:** 173 x **H:** 100

Code: ELG18



Elegante bath spout

Wall-mounted

W: 100 x **D:** 160 x **H:** 100

Code: ELG19



Elegante bath spout

Floor-standing

W: 80 x **D:** 253 x **H:** 1000

Code: ELG20



Elegante bath shower mixer

Floor-standing

W: 84 x **D:** 353 x **H:** 1125

Code: ELG5



Elegante bath filler on stand pipes

W: 95 x **D:** 190 x **H:** 748

Bath Filler: ELG5
Stand Pipe: ELG7

Brassware

Elegante, Filler Wastes & Wastes



Elegante panel valves

W: 53 x D: 95 x H: 57

Code: ELG21



Elegante single outlet thermostatic valve

W: 120 x D: 78 x H: 215

Code: ELG50



Elegante dual outlet thermostatic valve

W: 120 x D: 78 x H: 215

Code: ELG51



Bath filler with click-clack waste

Code: CW14



Bath filler with pop up waste

Code: CW15



Round handspray, hose and holder

W: 57 x D: 96 x H: 181

Code: V68



Square handspray, hose and holder

W: 55 x D: 90 x H: 206

Code: V69



Technical Specification



Click-clack basin waste

Slotted for use with overflow basins

W: 60 x **D:** 60 x **H:** 70

Code: W11



Click-clack basin waste

Unslotted for basins with no overflow

W: 60 x **D:** 60 x **H:** 90

Code: W22



Flip top basin waste

Slotted for use with overflow basins

W: 60 x **D:** 60 x **H:** 70

Code: W18



Square, flat bottom basin bottle trap

W: 360 x **D:** 70 x **H:** 170

Code: W17



Round, flat bottom basin bottle trap

W: 360 x **D:** 70 x **H:** 180

Code: W13



Rounded bottle trap

W: 360 x **D:** 70 x **H:** 20

Code: W14



Cabinet basin waste bottle trap

Reduces space taken up by normal bottle trap inside cabinet

Code: W26



Click-clack bath waste

For single and double ended baths

W: 850 x **D:** 940 x **H:** 800

Code: CW8

Brassware

Wastes & Accessories



Luxury bath grips (pair)

W: 270 x **D:** 30 x **H:** 70

Weight: 1.9kg

Finish: chrome

Code: R30



Standard bath grips (pair)

W: 220 x **D:** 20 x **H:** 40

Weight: 0.4kg

Finish: chrome

Code: R37



Small rectangular wire basket

W: 130 x **D:** 110 x **H:** 30

Code: A28 CHR



Large rectangular wire basket

W: 260 x **D:** 120 x **H:** 50

Code: A29 CHR



Large deep rectangular wire basket

W: 260 x **D:** 120 x **H:** 80

Code: A30 CHR



Small corner wire basket

W: 150 x **D:** 150 x **H:** 30

Code: A31 CHR



Large corner wire basket

W: 190 x **D:** 190 x **H:** 30


Code: A32 CHR



Large deep corner wire basket

W: 190 x **D:** 190 x **H:** 80

Code: A33 CHR



Basket Installation

Cleaning made easy with the easy-clean clip-on, clip-off wire basket mounting system.

A collection of baths from
BRITTON[®]



Part of the
Bathroom Brands Group
+44 (0)1322 473 222
info@bathroombrands.com
brittonbathrooms.com

Lake View House
Rennie Drive
Dartford
Kent, DA1 5FU

April 2019